


ELARA BATTEN (T5)




SINGLE BARE



TWIN BARE



SINGLE DIFFUSED



TWIN DIFFUSED



SINGLE WIRE GUARD



TWIN WIRE GUARD

FEATURES

Single & Twin tube models:

- Bare tube, diffused & wire guarded models
- 14 & 24 watt 600mm lengths
- 21 & 39 watt 900mm lengths
- 28 & 54 watt 1200mm lengths
- Energy efficient T5 linear fluorescent lamps
- Electronic control gear
- White powder coated metal body
- Injection moulded ABS plastic end caps
- Reeded acrylic diffusers
- White powder coated metal wire guards
- Metal surfaces pretreated and degreased before being polyester epoxy powder coated and baked for high protection and quality finish
- Low profile of 65mm depth for bare tube luminaires & 78mm for diffused & wire guarded models
- Diffuser & wire guard kits available as add on attachments to the bare tube model
- IP20 degree of protection

APPLICATION

Domestic or commercial general Lighting
 Pelmet
 Kitchens
 Over mirror
 Display cabinets
 Under shelf

SINGLE BARE

EL114T5	1/14w
EL124T5	1/24w
EL121T5	1/21w
EL139T5	1/39w
EL128T5	1/28w
EL154T5	1/54w

TWIN BARE

EL214T5	2/14w
EL224T5	2/24w
EL221T5	2/21w
EL239T5	2/39w
EL228T5	2/28w
EL254T5	2/54w

SINGLE DIFFUSED

ELD114T5	1/14w
ELD124T5	1/24w
ELD121T5	1/21w
ELD139T5	1/39w
ELD128T5	1/28w
ELD154T5	1/54w

TWIN DIFFUSED

ELD214T5	2/14w
ELD224T5	2/24w
ELD221T5	2/21w
ELD239T5	2/39w
ELD228T5	2/28w
ELD254T5	2/54w

SINGLE WIRE GUARD

ELW114T5	1/14w
ELW124T5	1/24w
ELW121T5	1/21w
ELW139T5	1/39w
ELW128T5	1/28w
ELW154T5	1/54w

TWIN WIRE GUARD

ELW214T5	2/14w
ELW224T5	2/24w
ELW221T5	2/21w
ELW239T5	2/39w
ELW228T5	2/28w
ELW254T5	2/54w

ELARA BATTEN (T5)



Manufactured to standards – IEC60598.1
 IEC60598.2.1
 IEC60598.2.2
 CISPR15
 EMC Compliant Supplier Code N1562 (Aust)



“When your
 business
 depends
 on light.”

ELARA BATTEN (T5) ACCESSORIES

SINGLE DIFFUSED KIT

ELDK1/600T5	1/14-24w
ELDK1/900T5	1/21-39w
ELDK1/1200T5	1/28-54w

SINGLE WIRE GUARD KIT

ELWK1/600T5	1/14-24w
ELWK1/900T5	1/21-39w
ELWK1/1200T5	1/28-54w


TWIN DIFFUSED KIT

ELDK2/600T5	2/14-24w
ELDK2/900T5	2/21-39w
ELDK2/1200T5	2/28-54w


TWIN WIRE GUARD KIT

ELWK2/600T5	2/14-24w
ELWK2/900T5	2/21-39w
ELWK2/1200T5	2/28-54w


SINGLE BARE








SINGLE DIFF/WG



TWIN BARE



TWIN DIFF/WG



AUSTRALIA ALL STATES Tel: 1300851001 **INDONESIA JAKARTA** Tel: +62 (21) 6904933 Fax: +62 (21) 6906987

MALAYSIA KUALA LUMPUR Tel: +60 (3) 5634348 Fax: +60 (3) 5634352 **PENANG** Tel: +60 (4) 5070580 Fax: +60 (4) 5070968

SINGAPORE Tel: +65 6742511 Fax: +65 6745828 **SOUTH PACIFIC ISLANDS BRISBANE** Tel: +61 (7) 38211315 Fax: +61 (7) 38211315

THAILAND BANGKOK Tel: +66 (2) 3825129 Fax: +66 (2) 3825128 **VIETNAM HOCHIMINH CITY** Tel: +84 8655011 Fax: +84 8622855

Distributors in: Bangladesh, Brunie, Fiji, Papua New Guinea, Sri Lanka

Lighting designs on request
IES files on request or available on Davis website

Website: www.davislighting.com

Email: sales@davislighting.com

Davis Lighting is a registered trade name

Davis Lighting reserves the right to change specifications and materials without prior notice.
Materials and components may vary from region to region.



*"When your
business
depends
on light."*