

COMMERCIAL DIFFUSED & OPEN

ATLAS SERIES


The Atlas high performance series of luminaires are designed for recessed mounting in exposed 2 way T/Bar ceilings (including air handling models), plaster ceilings and also surface mounting.

RECESSED DIFFUSED T/BAR T8

Atlas Performance Recessed T/Bar

For recessed T/Bar ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser. †


ATT218x	2/18w	600mm (nom)
ATT236x	2/36w	1200mm (nom)



Not available in Australia & New Zealand

Atlas Performance Recessed T/Bar

For recessed T/Bar ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser. †



ATTW218x	2/18w	600mm (nom)
ATTW318x	3/18w	600mm (nom)
ATTW418x	4/18w	600mm (nom)
ATTW236x	2/36w	1200mm (nom)
ATTW336x	3/36w	1200mm (nom)
ATTW436x	4/36w	1200mm (nom)


RECESSED DIFFUSED T/BAR T5



Atlas Performance Recessed T/Bar

For recessed T/Bar ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser. †

ATT214T5x	2/14w	600mm (nom)
ATT224T5x	2/24w	600mm (nom)
ATT228T5x	2/28w	1200mm (nom)
ATT254T5x	2/54w	1200mm (nom)



Not available in Australia & New Zealand



Compatible - see page 7 for options

†Other panels available on application.
 T8 (26mm diameter) fluorescent lamp G13 lamp cap
 T5 (16mm diameter) fluorescent lamp G5 lamp cap

COMMERCIAL DIFFUSED & OPEN



RECESSED AIR HANDLING T/BAR T8

Atlas Performance Air Handling Recessed T/Bar

Suitable for air delivery or air return for recessed T/Bar ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser.†

Air slots measurements: 264 x 20 per slot. (36W - 4 per side, 18w - 2 per side)

ATTM218Ax	2/18w	600mm (nom)
ATTM236Ax	2/36w	1200mm (nom)




Atlas Performance Air Handling Recessed T/Bar

For air delivery or air return for recessed T/Bar ceilings.

x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser.†

Air slots measurements: 264 x 20 per slot. (36W - 4 per side, 18w - 2 per side)



ATTW218Ax	2/18w	600mm (nom)
ATTW318Ax	3/18w	600mm (nom)
ATTW418Ax	4/18w	600mm (nom)
ATTW236Ax	2/36w	1200mm (nom)
ATTW336Ax	3/36w	1200mm (nom)
ATTW436Ax	4/36w	1200mm (nom)

RECESSED AIR HANDLING T/BAR T5




Atlas Performance Air Handling Recessed T/Bar

Suitable for air delivery or air return for recessed T/Bar ceilings.

x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser.†

Air slots measurements: 264 x 20 per slot. (1200mm - 4 per side, 600mm - 2 per side)


ATTM214T5Ax	2/14w	600mm (nom)
ATTM224T5Ax	2/24w	600mm (nom)
ATTM228T5Ax	2/28w	1200mm (nom)
ATTM254T5Ax	2/54w	1200mm (nom)



RECESSED PLASTER T8

Atlas Performance Recessed Plaster

For recessed plaster ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser.†



ATP218x	2/18w	670mm
		Cut out size 630 x 295
ATP236x	2/36w	1270mm
		Cut out size 1230 x 295

COMMERCIAL DIFFUSED & OPEN

RECESSED PLASTER T8

Atlas Performance Recessed Plaster

For recessed plaster ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser. †

ATPW218x 2/18w 670mm

ATPW318x 3/18w 670mm

ATPW418x 4/18w 670mm


Cut out size 630 x 595

ATPW236x 2/36w 1270mm

ATPW336x 3/36w 1270mm

ATPW436x 4/36w 1270mm

Cut out size 1230 x 595




RECESSED PLASTER T5



Atlas Performance Recessed Plaster

For recessed plaster ceilings. x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal lay-in diffuser. †



ATP214T5x 2/14w 670mm

ATP224T5x 2/24w 670mm

Cut out size 630 x 295

ATP228T5x 2/28w 1270mm

ATP254T5x 2/54w 1270mm

Cut out size 1230 x 295


COMMERCIAL DIFFUSED & OPEN

SURFACE MOUNTED T8

Atlas Performance Surface Mounted


Featuring moulded plastic corner blocks and diffuser in hinged frame.
x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal. †

- ATS218x** 2/18w 668mm
Mountings 430 x 188
- ATS236x** 2/36w 1268mm
Mountings 1030 x 188



Atlas Performance Surface Mounted

Featuring moulded plastic corner blocks and diffuser in hinged frame.
x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal. †



- ATSW218x** 2/18w 668mm
- ATSW318x** 3/18w 668mm
- ATSW418x** 4/18w 668mm
Mountings 430 x 488
- ATSW236x** 2/36w 1268mm
- ATSW336x** 3/36w 1268mm
- ATSW436x** 4/36w 1268mm
Mountings 1030 x 488

SURFACE MOUNTED T5



Atlas Performance Surface Mounted

Featuring moulded plastic corner blocks and diffuser in hinged frame.
x designates diffuser type. Y5, Y7, K12, K15, K19, K19T silver tint or opal. †

- ATS214T5x** 2/14w 668mm
- ATS224T5x** 2/24w 668mm
Mountings 430 x 188
- ATS228T5x** 2/28w 1268mm
- ATS254T5x** 2/54w 1268mm
Mountings 1030 x 188

