

LOW BRIGHT LOUVRE

METIS SERIES T5

The Metis family of luminaires incorporates sophisticated louvre technology to meet the needs of the 21st century modern office. Glare control is attributed to the contoured side reflector providing a 55° cut-off across the tube, with lateral blades providing 63° to cut-off along the tube. Louvres are available in specular or semi-specular and are designed to illuminate the horizontal working surface while the sharp lamp cut-off reduces veiling reflection in computer screens. The multi-tube louvre features an apparent brightness control separation between cell groups. Brightness contrast reduction is created by brightening the dark area between cell groups. The louvre assembly in a metal frame which has a hinged latching system holding the assembly securely to the body. The unique universal body design allows the luminaire to be surface mounted, T/Bar recessed or, with the addition of the PF frame, recessed into a suspended plaster ceiling. The Metis may also be manufactured as a dedicated suspended plaster ceiling luminaire or supplied to accommodate 246mm x 20mm AC slots for air delivery or return.

The high light output ratio and optimal glare control of the Metis integrated with DALI lighting control systems offer straightforward solutions for handling all kinds of ECOSmart lighting/energy management tasks for almost any structural condition.




UNIVERSAL MOUNT T5

Metis Universal Mount

Single tube 200mm wide models suitable for either surface mounting or recessed T/Bar mounting. For recessed plaster mounting use plaster frame as shown in accessories below. x designates reflector type (m) matt or (d) semi-specular louvre.

ME2UN114T5x	1/14w	1x12 Cell	600mm (nom)
ME2UN124T5x	1/24w	1x12 Cell	600mm (nom)
		Mountings 390 x 240	
ME2UN128T5x	1/28w	1x26 Cell	1200mm (nom)
ME2UN154T5x	1/54w	1x26 Cell	1200mm (nom)
		Mountings 950 x 240	





Metis 2 ME2UN Accessories

- **PFN600** - Frame for recessed mounting of 14/24w models in plaster ceilings.
- **PFN1200** - Frame for recessed mounting of 28/54w models in plaster ceilings.

Metis Universal Mount

Twin tube 300mm wide models suitable for either surface mounting or recessed T/Bar mounting. For recessed plaster mounting use plaster frame as shown in accessories below. x designates reflector type (m) matt or (d) semi-specular louvre.



ME2U114T5x	1/14w	1x12 Cell	600mm (nom)
ME2U124T5x	1/24w	1x12 Cell	600mm (nom)
ME2U214T5x	2/14w	2x12 Cell	600mm (nom)
ME2U224T5x	2/24w	2x12 Cell	600mm (nom)
		Mountings 390 x 240	
ME2U128T5x	1/28w	1x26 Cell	1200mm (nom)
ME2U154T5x	1/54w	1x26 Cell	1200mm (nom)
ME2U228T5x	2/28w	2x26 Cell	1200mm (nom)
ME2U254T5x	2/54w	2x26 Cell	1200mm (nom)

[Mountings 950 x 240](#)

Metis 2 ME2U Accessories

- **PF600** - Frame for recessed mounting of 14/24w models in plaster ceilings.
- **PF1200** - Frame for recessed mounting of 28/54w models in plaster ceilings.

Other types of louvre available on an indent basis include specular and high performance MIRO

T5 (16mm diameter) fluorescent lamp G5 lamp cap

Also available for imperial size T/Bar. Please contact sales office for details.


LOW BRIGHT LOUVRE

UNIVERSAL MOUNT T5



Metis Universal Mount

Three tube 400mm wide models suitable for either surface mounting or recessed T/Bar mounting. For recessed plaster mounting use plaster frame as shown in accessories below. x designates reflector type (m) matt or (d) semi-specular louvre.



ME2UM314T5x	3/14w	3x12 Cell	600mm (nom)
ME2UM324T5x	3/24w	3x12 Cell	600mm (nom)
		Mountings 390 x 340	
ME2UM328T5x	3/28w	3x26 Cell	1200mm (nom)
ME2UM354T5x	3/54w	3x26 Cell	1200mm (nom)
		Mountings 950 x 340	


Metis 2 ME2UM Accessories

- **PFM600** - Frame for recessed mounting of 14/24w models in plaster ceilings.
- **PFM1200** - Frame for recessed mounting of 28/54w models in plaster ceilings.

Metis Universal Mount

Three tube 600mm wide models suitable for either surface mounting or recessed T/Bar mounting. For recessed plaster mounting use plaster frame as shown in accessories below. x designates reflector type (m) matt or (d) semi-specular louvre.

ME2UW314T5x	3/14w	3x12 Cell	600mm (nom)
ME2UW324T5x	3/24w	3x12 Cell	600mm (nom)
		Mountings 390 x 340	
ME2UW328T5x	3/28w	3x26 Cell	1200mm (nom)
ME2UW354T5x	3/54w	3x26 Cell	1200mm (nom)
		Mountings 950 x 340	




Metis 2 ME2UW Accessories

- **PFW600** - Frame for recessed mounting of 14/24w models in plaster ceilings.
- **PFW1200** - Frame for recessed mounting of 28/54w models in plaster ceilings.

Metis Universal Mount

Four tube 600mm wide models suitable for either surface mounting or recessed T/Bar mounting. For recessed plaster mounting use plaster frame as shown in accessories below. x designates reflector type (m) matt or (d) semi-specular louvre.



ME2UW414T5x	4/14w	4x12 Cell	600mm (nom)
ME2UW424T5x	4/24w	4x12 Cell	600mm (nom)
		Mountings 390 x 340	
ME2UW428T5x	4/28w	4x26 Cell	1200mm (nom)
ME2UW454T5x	4/54w	4x26 Cell	1200mm (nom)
		Mountings 950 x 340	

Metis 2 ME2UW Accessories

- **PFW600** - Frame for recessed mounting of 14/24w models in plaster ceilings.
- **PFW1200** - Frame for recessed mounting of 28/54w models in plaster ceilings.

Other types of louvre available on an indent basis include specular and high performance MIRO

T5 (16mm diameter) fluorescent lamp G5 lamp cap

Also available for imperial size T/Bar. Please contact sales office for details.

LOW BRIGHT LOUVRE


RECESSED T/BAR AIR HANDLING T5



Metis Recessed T/Bar Air Handling


Single tube 300mm wide models for air delivery or air return. x designates reflector type (m) matt or (d) semi-specular louvre. **Air slots measurements: 246 x 20 per slot. (28/54W - 4 per side, 14/24w - 2 per side)**

ME2T114T5Ax	1/14w	1x12 Cell	600mm (nom)
ME2T124T5Ax	1/24w	1x12 Cell	600mm (nom)
ME2T128T5Ax	1/28w	1x26 Cell	1200mm (nom)
ME2T154T5Ax	1/54w	1x26 Cell	1200mm (nom)



Metis Recessed T/Bar Air Handling

Twin tube 400mm wide models for air delivery or air return. x designates reflector type (m) matt or (d) semi-specular louvre. **Air slots measurements: 246 x 20 per slot. (28/54W - 4 per side, 14/24w - 2 per side)**




ME2TM214T5Ax	2/14w	2x12 Cell	600mm (nom)
ME2TM224T5Ax	2/24w	2x12 Cell	600mm (nom)
ME2TM228T5Ax	2/28w	2x26 Cell	1200mm (nom)
ME2TM254T5Ax	2/54w	2x26 Cell	1200mm (nom)

Metis Recessed T/Bar Air Handling


Three tube 600mm wide models for air delivery or air return. x designates reflector type (m) matt or (d) semi-specular louvre. **Air slots measurements: 246 x 20 per slot. (28/54W - 4 per side, 14/24w - 2 per side)**

ME2TW314T5Ax	3/14w	3x12 Cell	600mm (nom)
ME2TW324T5Ax	3/24w	3x12 Cell	600mm (nom)
ME2TW328T5Ax	3/28w	3x26 Cell	1200mm (nom)
ME2TW354T5Ax	3/54w	3x26 Cell	1200mm (nom)



Metis Recessed T/Bar Air Handling

Four tube 600mm wide models for air delivery or air return. x designates reflector type (m) matt or (d) semi-specular louvre. **Air slots measurements: 246 x 20 per slot. (28/54W - 4 per side, 14/24w - 2 per side)**



ME2TW414T5Ax	4/14w	4x12 Cell	600mm (nom)
ME2TW424T5Ax	4/24w	4x12 Cell	600mm (nom)
ME2TW428T5Ax	4/28w	4x26 Cell	1200mm (nom)
ME2TW454T5Ax	4/54w	4x26 Cell	1200mm (nom)

Other types of louvre available on an indent basis include specular and high performance MIRO

T5 (16mm diameter) fluorescent lamp G5 lamp cap

Also available for imperial size T/Bar. Please contact sales office for details.



LOW BRIGHT LOUVRE

RECESSED PLASTER T5



Metis Recessed Plaster

x designates reflector type (m) matt or (d) semi-specular louvre.



ME2P114T5x	1/14w	600mm (nom)
ME2P124T5x	1/24w	600mm (nom)
ME2P214T5x	2/14w	600mm (nom)
ME2P224T5x	2/24w	600mm (nom)

Cut out size 595 x 295

ME2P128T5x	1/28w	1200mm (nom)
ME2P154T5x	1/54w	1200mm (nom)
ME2P228T5x	2/28w	1200mm (nom)
ME2P254T5x	2/54w	1200mm (nom)

Cut out size 1195 x 295

Metis Recessed Plaster

x designates reflector type (m) matt or (d) semi-specular louvre.

ME2PW314T5x 3/14w 600mm (nom)



ME2PW324T5x 3/24w 600mm (nom)

Cut out size 595 x 595

ME2PW328T5x 3/28w 1200mm (nom)


ME2PW354T5x 3/54w 1200mm (nom)

Cut out size 1195 x 595



Metis Recessed Plaster

x designates reflector type (m) matt or (d) semi-specular louvre.



ME2PW414T5x 4/14w 600mm (nom)

ME2PW424T5x 4/24w 600mm (nom)

Cut out size 595 x 595

ME2PW428T5x 4/28w 1200mm (nom)

ME2PW454T5x 4/54w 1200mm (nom)

Cut out size 1195 x 595

Other types of louvre available on an indent basis include specular and high performance MIRO

T5 (16mm diameter) fluorescent lamp G5 lamp cap

Also available for imperial size T/Bar. Please contact sales office for details.