

LOW BRIGHT LOUVRE

Davis offers a series of luminaires designed for use in low glare applications. A variety of lamp types from T8 & T5 to compact PL are available for your choice, while a multitude of cell configurations is offered to suit your individual needs including a degree of glare control. All recessed luminaires are supplied with 25mm cable entry for hard wiring or 1.5m flex and plug. Please check with your local sales office for the standard supplied in your area. Surface mounted models are supplied with 25mm cable entry.




RHEA SERIES T8

The Rhea Low Bright series of luminaires is suitable for general office & VDU workstation areas. The range is available in models to suit recessed T/Bar ceilings, recessed plaster ceilings and also surface mounted models with a low profile body of only 100mm. Louvre material is either specular or semi-specular. **The cross blade is V shaped with closed top.**

RECESSED T/BAR T8

Rhea Recessed T/Bar

x designates reflector type (s) specular or (d) semi-specular louvre.




RHT218x	2/18w	2x4 Cell	600mm (nom)
RHT236x	2/36w	2x9 Cell	1200mm (nom)

Rhea Recessed T/Bar

x designates reflector type (s) specular or (d) semi-specular louvre.

RHTW218x	2/18w	2x4 Cell	600mm (nom)
RHTW318x	3/18w	3x4 Cell	600mm (nom)
RHTW418x	4/18w	4x4 Cell	600mm (nom)
RHTW236x	2/36w	2x9 Cell	1200mm (nom)
RHTW336x	3/36w	3x9 Cell	1200mm (nom)
RHTW436x	4/36w	4x9 Cell	1200mm (nom)



T8 (26mm diameter) fluorescent lamp G13 lamp cap



Compatible - see page 7 for options

Also available for imperial size T/Bar. Please contact sales office for details.


LOW BRIGHT LOUVRE

RECESSED T/BAR AIR HANDLING T8

Rhea Recessed T/Bar Air Handling

For air delivery or air return. x designates reflector type (s) specular or (d) semi-specular louvre.

Air slots measurements: 246 x 15 per slot. (36W - 4 per side, 18w - 2 per side)




RHTM218Ax	2/18w	2x4 Cell	600mm (nom)
RHTM236Ax	2/36w	2x9 Cell	1200mm (nom)

Rhea Recessed T/Bar Air Handling

For air delivery or air return. x designates reflector type (s) specular or (d) semi-specular louvre.

Air slots measurements: 246 x 15 per slot. (36W - 4 per side, 18w - 2 per side)


RHTW218Ax	2/18w	2x4 Cell	600mm (nom)
RHTW318Ax	3/18w	3x4 Cell	600mm (nom)
RHTW236Ax	2/36w	2x9 Cell	1200mm (nom)
RHTW336Ax	3/36w	3x9 Cell	1200mm (nom)



RECESSED PLASTER T8

Rhea Recessed Plaster

x designates reflector type (s) specular or (d) semi-specular louvre.





RHP218x	2/18W	2x4 cell	670mm
			Cut out size 625 x 338
RHP236x	2/36W	2x9 cell	1270mm
			Cut out size 1235 x 338

Rhea Recessed Plaster

x designates reflector type (s) specular or (d) semi-specular louvre.

RHPW218x	2/18w	2x4 Cell	670mm
RHPW318x	3/18w	3x4 Cell	670mm
RHPW418x	4/18w	4x4 Cell	670mm
			Cut out size 625 x 638
RHPW236x	2/36w	2x9 Cell	1270mm
RHPW336x	3/36w	3x9 Cell	1270mm
RHPW436x	4/36w	4x9 Cell	1270mm
			Cut out size 1235 x 638





LOW BRIGHT LOUVRE

SURFACE MOUNTED T8

Rhea Surface Mounted

Featuring moulded plastic corner block. x designates reflector type (s) specular or (d) semi-specular louvre.





RHS218x	2/18W	2x4 cell	668mm
	Mountings 430 x 188		
RHS236x	2/36W	2x9 cell	1268mm
	Mountings 1030 x 188		

Rhea Surface Mounted

Featuring moulded plastic corner block. x designates reflector type (s) specular or (d) semi-specular louvre.

RHSW218x	2/18w	2x4 Cell	668mm
RHSW318x	3/18w	3x4 Cell	668mm
RHSW418x	4/18w	4x4 Cell	668mm
	Mountings 430 x 488		

RHSW236x	2/36w	2x9 Cell	1268mm
RHSW336x	3/36w	3x9 Cell	1268mm
RHSW436x	4/36w	4x9 Cell	1268mm
	Mountings 1030 x 488		



LOW BRIGHT LOUVRE

RHEA SERIES COMPACT FLUORESCENT (CFL)


This range of twin compact fluorescent luminaires is a perfect addition to the Rhea T8 series. They may be used in ancillary areas to where the Rhea T8 is the major luminaire, or in a standalone installation. They are particularly suitable for small utility areas.

RECESSED T/BAR (CFL)

Rhea Recessed T/Bar

x designates reflector type (s) specular or (d) semi-specular louvre.


RHT211PLx	2/11w TC-S2x3 Cell	300mm (nom)
RHT218PLx	2/18w TC-L 2x3 Cell	300mm (nom)



RECESSED PLASTER (CFL)

Rhea Recessed Plaster

x designates reflector type (s) specular or (d) semi-specular louvre.



RHP211PLx	2/11w TC-S2x3 Cell	370mm
RHP218PLx	2/18w TC-L 2x3 Cell	370mm
	Cut out size 330 x 330	

SURFACE MOUNTED (CFL)

Rhea Surface Mounted

x designates reflector type (s) specular or (d) semi-specular louvre.

RHS211PLx	2/11w TC-S2x3 Cell	370mm
RHS218PLx	2/18w TC-L 2x3 Cell	370mm
	Mountings 130 x 188	

