

# CRESSIDA CRFM


Specialist Lighting / Cleanroom, Troffer



## CRFM430-R94

### Features

- Clean screw-less magnetic cover
- Advanced optical design to deliver optimum performance and glare control
- Low glare microprism diffuser
- Clear diffuser layer for easy cleaning
- Tunable white options for Circadian lighting design
- IP65 and IK08 rated
- Solid and sturdy crank bracket install system
- Class ISO 3 certified to DIN
- EN ISO 14644-1



### Applications

- Industrial cleanroom
- Laboratory
- Hospital / Healthcare
- Food preparation area

### Options

- DALI control
- Tuneable white
- Smart sensor control
- Anti-microbial paint
- COI compliant

### Standards

- Manufactured under ISO 9001:2015 to standards
- IEC/AS/NZS 60598.1
- IEC/AS/NZS 60598.2.1
- IEC/AS/NZS 60598.2.2
- IEC/AS/NZS CISPR 15

### Mounting Methods



Recessed



# CRESSIDA CRFM

Specialist Lighting / Cleanroom, Troffer



## Specifications

Model	CRFM430-R94
Nominal Power (W)	30
Input Voltage (V)	220-240
Frequency (Hz)	50/60
Luminaire Flux (lm)	3170
Luminaire Efficacy (lm/W)	105
CRI (Ra)	>90
Power Factor	>0.95
SDCM	3
CCT (K)	4000
Luminaire Rated Life (hr)	50000
Ambient Temp. ta (°C)	45
Operating Temp. (°C)	-25 to +50
Weight (kg)	18
IP Rating	IP65
IK Rating	IK08

## Packaging Details

Model	CRFM430-R94
Product Carton Qty per box (pc)	1
Product Carton Dimension (mm)	1285 x 385 x 126
Product Carton Weight (kg)	23


# CRESSIDA CRFM

Specialist Lighting / Cleanroom, Troffer




DAVISLIGHTING

## Lighting Data



## Dimensions



davislighting.com davislighting.com.au

All photometric and electrical data published are of  $\pm 10\%$  tolerance. Characteristics and specifications may change without notice. All electrical installations / connections should be carried out by a suitably qualified person. Application images are indicative only and may not contain actual Davis product. The information contained in this publication is typical and must not be interpreted as a guarantee of individual product performance.

Generated on: 15-11-2021  
Copyright © 2023 Davis Lighting. All Rights Reserved.